








	DETAILS	PRODUCTION / APPLICATION	CARE INSTRUCTIONS / ACCESSORIES
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather <hr/> <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <hr/> <p>Temp: 305° F/150° C Pressure: Medium Time: 10-15 sec. Peel: HOT or COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather • Sublimated polyester <hr/> <p>Blade: 45°/60° Composition: PVC Microns/Mils: 410/16.1</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <hr/> <p>Temp: 320° F/160° C Pressure: Medium Time: 15-20 sec. Peel: COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm / mild detergent • Do not bleach • Do not dry clean • Dry at normal setting • Turn inside out <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather • Sublimated polyester <hr/> <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <hr/> <p>Temp: 305° F/150° C Pressure: Medium Time: 15sec. Peel: HOT or COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather • Lycra® / Spandex <hr/> <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <hr/> <p>Temp: 305° F/150° C Pressure: Medium-Firm Time: 15sec. Peel: HOT or COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • <hr/> <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <hr/> <p>Temp: 305° F/150° C Pressure: Medium-Firm Time: 15sec. Peel: HOT or COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather • Lightly siliconed nylon • Lycra®/spandex • Sublimated polyester <hr/> <p>Blade: 60° Composition: PU Microns/Mils: 325/12.8</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <hr/> <p>Temp: 320° F/160° C Pressure: Firm Time: 10-15 sec. Peel: HOT</p> <p>Can be used as a top layer for other materials. Not recommended to be layered on itself</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm / mild detergent • Do not bleach • Do not dry clean • Dry at normal setting • Turn inside out <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather • Sublimated polyester <hr/> <p>Blade: 45°/60° Composition: PVC Microns/Mils: 110/4.3</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <hr/> <p>Temp: 320° F/160° C Pressure: Medium Time: 15-20 sec. Peel: COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm / mild detergent • Do not bleach • Do not dry clean • Dry at normal setting • Turn inside out <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>