


IPE STEEL BEAM



EUROPE STANDARD

	WEIGHT	DIMENSIONS				ΔΙΑΤΟΜΗ	ΡΟΠΗ ΑΝΤΙΣΤΑΣΕΩΣ	
	kg / m	mm				cm ²	cm ³	
		h	b	s	t	F	W _x	W _y
80	6,000	80	46	3,8	5,2	7,64	20,0	3,69
100	8,100	100	55	4,1	5,7	10,30	34,2	5,79
120	10,400	120	64	4,4	6,3	13,20	53,0	8,65
140	12,900	140	73	4,7	6,9	16,40	77,3	12,30
160	15,800	160	82	5,0	7,4	20,10	109,0	16,70
180	18,800	180	91	5,3	8,0	23,90	146,0	22,20
200	22,400	200	100	5,6	8,5	28,50	194,0	28,50
220	26,200	220	110	5,9	9,2	33,40	252,0	37,30
240	30,700	240	120	6,2	9,8	39,10	324,0	47,30
270	36,100	270	135	6,6	10,2	45,90	429,0	62,20
300	42,200	300	150	7,1	10,7	53,80	557,0	80,50
330	49,100	330	160	7,5	11,5	62,60	713,0	98,50
360	57,100	360	170	8,0	12,7	72,70	904,0	123,00
400	66,300	400	180	8,6	13,5	84,50	1160,0	146,00
450	77,600	450	190	9,4	14,6	98,80	1500,0	176,00
500	90,700	500	200	10,2	16,0	116,00	1930,0	214,00
550	106,000	550	210	11,1	17,2	134,00	2440,0	254,00
600	122,000	600	220	12,0	19,0	156,00	3070,0	308,00