



Material Safety Data Sheet

IDENTITY (As Used on Label and List)	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
FLOSAN GDS	

Manufacturer's Name	Emergency Telephone Number		
Fedmet	514-931-5711		
Address (Number, Street, City, State, and Zip Code)	Telephone Number Information		
	514-931-5711		
	Date Prepared	Date Revised	
1000 N. West St., Suite 1200 #889 Wilmington DE 19801	2/23/12	2/23/12	
	Signature of Preparer (optional)		
	JPC		

Section II - Hazardous Ingredients/Identity Information

Chemical Identity	CAS #	PEL, mg/m ³	TLV, mg/m ³
silica	14808-60-7	(10 mg/m ³)/(% SiO ₂ + 2)	0.025
alumina	1344-28-1	15	10
iron oxide	1309-37-1	10	10
chrome oxide	1308-38-9	0.5	0.5

Section III - Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	N/A
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (Air = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water			
Not Soluble			
Color	Form	Odor	
black	granular	odorless	

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	UEL
N/A	N/A	N/A	N/A
Extinguishing Media			
N/A			
Special Fire Fighting Procedures			
None			
Unusual Fire and Explosion Hazards			
None			

The information presented herein is based either on data or opinion. Such data is, to the best of our knowledge, true and accurate. Such opinion is believed to be expert, and therefore generally reliable, but in some instances there are conflict in expert opinion and in these instances we have relied on the opinion which, in our best judgment, appeared the most reasonable. All information herein is presented without guarantee or warranty and Fedmet disclaims any liability incurred from the use thereof.

Section V - Reactivity Data

Stability	Unstable	X	Conditions to Avoid
	Stable		
Incompatibility (Materials to Avoid)			
N/A			