



client
CITY OF DALLAS, TEXAS
1000 N. DALLAS STREET, 10TH FLOOR
DALLAS, TEXAS 75201
CONTACT: J. J. JONES
J. JONES@CITYOFDALLAS.ORG

design build contractor
HARRIS, PHILLIPS, CONSTRUCTION, LLC
10000 DALLAS STREET, SUITE 400
DALLAS, TEXAS 75243
CONTACT: J. J. JONES
J. JONES@HARRISPHILLIPS.COM

civil/structural engineer
HARRIS, PHILLIPS, CONSTRUCTION, LLC
10000 DALLAS STREET, SUITE 400
DALLAS, TEXAS 75243
CONTACT: J. J. JONES
J. JONES@HARRISPHILLIPS.COM

landscape architect
HARRIS, PHILLIPS, CONSTRUCTION, LLC
10000 DALLAS STREET, SUITE 400
DALLAS, TEXAS 75243
CONTACT: J. J. JONES
J. JONES@HARRISPHILLIPS.COM

map engineers
HARRIS, PHILLIPS, CONSTRUCTION, LLC
10000 DALLAS STREET, SUITE 400
DALLAS, TEXAS 75243
CONTACT: J. J. JONES
J. JONES@HARRISPHILLIPS.COM

technology consultants
HARRIS, PHILLIPS, CONSTRUCTION, LLC
10000 DALLAS STREET, SUITE 400
DALLAS, TEXAS 75243
CONTACT: J. J. JONES
J. JONES@HARRISPHILLIPS.COM

project
CITY OF DALLAS, TEXAS
1000 N. DALLAS STREET, 10TH FLOOR
DALLAS, TEXAS 75201
CONTACT: J. J. JONES
J. JONES@CITYOFDALLAS.ORG

The drawings and written material herein constitute original work of the architect and its intellectual property and instruments of service. Any copies or reproductions of any part of the drawings or instruments of service without the express written consent of the architect, original owner.


VERTICAL PACKAGE		06.22.2018
REVISIONS		
1	CITY COMMENT RESPONSE #1	05.04.2018
2	CITY COMMENT RESPONSE #2	10.26.2018

EXTERIOR BUILDING PLAN DETAILS


project number 17118.100
date 06.22.2018
sheet

GENERAL NOTES - PLAN DETAILS


- CONTRACTOR SHALL CROSS-REFERENCE STRUCTURAL COMPONENT DIMENSIONS WITH STRUCTURAL DRAWINGS AND NOTIFY ARCHITECT OF DISCREPANCIES PRIOR TO INSTALLATION.
- ALL EXPOSED METALS (EXCEPT GALVANIZED, STAINLESS STEEL AND/OR PRE-FINISHED ITEMS) SHALL BE PAINTED FINISH, COLOR SELECTED BY ARCHITECT.
- ALL EXTERIOR EXPOSED METALS TO BE FACTORY PRIME AND FIELD PAINTED.
- SEE INTERIOR ELEVATIONS FOR DETAILED FINISHES AT EACH ROOM.
- REFER TO STRUCTURAL DRAWINGS FOR ALL VERTICAL REINFORCING WITHIN CMU CELLS.
- ALL EXTERIOR GLAZING SHALL BE 1" INSULATED GLAZING, REFERENCE SPECIFICATIONS.
- AT PERIMETER JOINT BETWEEN ALUMINUM FRAMING SYSTEMS AND DISSIMILAR MATERIALS, PROVIDE MINIMUM 3/8" BACKER ROD AND SEALANT JOINT.
- REFER TO A2 SERIES ROOFING SHEETS FOR TYPICAL ROOF AND FLASHING DETAILS.
- PROTECT ALL EXISTING CONSTRUCTION. PATCH AND REPAIR ANY DAMAGE TO ORIGINAL CONDITION.
- PROVIDE 1/2" CHAMFER AT ALL OUTSIDE CORNERS OF CONCRETE WALLS THAT ARE EXPOSED TO VIEW.
- WHERE DETAILS SHOW WORK AFFECTING EXISTING CONSTRUCTION, CONTRACTOR SHALL SCHEDULE ON-SITE MEETING WITH OWNER AND ARCHITECT PRIOR TO START OF WORK. SEQUENCING AND EXACT LOCATION OF WORK WILL BE COORDINATED BETWEEN ARCHITECT AND OWNER SO AS TO MINIMIZE IMPACT ON EXISTING STRUCTURES. OWNER AND ARCHITECT WILL BE PRESENT AT START OF SAID WORK TO COORDINATE ISSUES THAT MAY ARISE AT POINT OF DISCOVERY.
- SPRINKLER APPLIED FIREPROOFING (SFRM) SHOWN ON STRUCTURAL MEMBERS IS FOR GENERAL COORDINATION PURPOSES ONLY. ACTUAL THICKNESS WILL DEPEND ON REQUIRED RATING AND PRODUCT SELECTED. REFER TO LIFE SAFETY DRAWINGS, A02 SHEET SERIES, FOR REQUIRED RATINGS, AND STEEL BUILDING ELEMENT PROTECTION EXHIBITS, A02 SHEET SERIES, FOR PROPOSED EXTENTS OF SFRM.




09 PLAN DETAIL
SCALE: 1/2" = 1'-0"




06 PLAN DETAIL
SCALE: 1/2" = 1'-0"




08 PLAN DETAIL
SCALE: 1/2" = 1'-0"




05 PLAN DETAIL
SCALE: 1/2" = 1'-0"




02 PLAN DETAIL
SCALE: 1/2" = 1'-0"



07 PLAN DETAIL
SCALE: 1/2" = 1'-0"



04 PLAN DETAIL
SCALE: 1/2" = 1'-0"



01 PLAN DETAIL
SCALE: 1/2" = 1'-0"