

INSERT INTO	INSERT INTO table_name VALUES (value1, value2, value3,...) <i>or</i> INSERT INTO table_name (column1, column2, column3,...) VALUES (value1, value2, value3,...)
INNER JOIN	SELECT column_name(s) FROM table_name1 INNER JOIN table_name2 ON table_name1.column_name=table_name2.column_name
LEFT JOIN	SELECT column_name(s) FROM table_name1 LEFT JOIN table_name2 ON table_name1.column_name=table_name2.column_name
RIGHT JOIN	SELECT column_name(s) FROM table_name1 RIGHT JOIN table_name2 ON table_name1.column_name=table_name2.column_name
FULL JOIN	SELECT column_name(s) FROM table_name1 FULL JOIN table_name2 ON table_name1.column_name=table_name2.column_name
LIKE	SELECT column_name(s) FROM table_name WHERE column_name LIKE pattern
ORDER BY	SELECT column_name(s) FROM table_name ORDER BY column_name [ASC DESC]
SELECT	SELECT column_name(s) FROM table_name
SELECT *	SELECT * FROM table_name
SELECT DISTINCT	SELECT DISTINCT column_name(s) FROM table_name
SELECT INTO	SELECT * INTO new_table_name [IN externaldatabase] FROM old_table_name <i>or</i> SELECT column_name(s) INTO new_table_name [IN externaldatabase] FROM old_table_name