

SQLite 3.27.2 : Nice : nice.db : Customer

loc

SQL

Search for item: ^name\$...

Items Favorites History

Album

Artist

Customer

Employee

Genre

Invoice

InvoiceLine

MediaType

Playlist

PlaylistTrack

Track

SQL Query

Customer

Name Customer Primary CustomerId

Column name... (%%F)

Definition

column_name	data_type		is_nullable		column_default		foreign_key	
CustomerId	INTEGER	↕	NO	↕	NULL	↕	EMPTY	→
FirstName	NVARCHAR(40)	↕	NO	↕	NULL	↕	EMPTY	→
LastName	NVARCHAR(20)	↕	NO	↕	NULL	↕	EMPTY	→
Company	NVARCHAR(80)	↕	YES	↕	NULL	↕	EMPTY	→
Address	NVARCHAR(70)	↕	YES	↕	NULL	↕	EMPTY	→
City	NVARCHAR(40)	↕	YES	↕	NULL	↕	EMPTY	→
State	NVARCHAR(40)	↕	YES	↕	NULL	↕	EMPTY	→
Country	NVARCHAR(40)	↕	YES	↕	NULL	↕	EMPTY	→
PostalCode	NVARCHAR(10)	↕	YES	↕	NULL	↕	EMPTY	→
Phone	NVARCHAR(24)	↕	YES	↕	NULL	↕	EMPTY	→
Fax	NVARCHAR(24)	↕	YES	↕	NULL	↕	EMPTY	→
Email	NVARCHAR(60)	↕	NO	↕	NULL	↕	EMPTY	→
SupportRepId	INTEGER	↕	YES	↕	NULL	↕	Employee(EmployeeId)	→

index_name	is_unique		column_name	
IFK_CustomerSupportRepId	FALSE	↕	SupportRepId	↕

+ ▼

Data Structure + Index + Column