[4] Write the directroextinet method, which searches period for the first block of free minutes that is durention minutes long. If such a block is found, directroextinet returns the first minute in the block. Otherwise, findfreeDirect returns -1. The findfreeDirect restor uses the below method indimatefree, which returns true if a particular minute is available to be included in a new approximated and enturn fallow if the minute is unavailable.

Consider the following list of unavailable and available minutes in period 2:

Minutes in Period 2	Available?		
0-9 (10 minutes)	Mo		
10-14 (5 minutes)	Yes		
15-29 (15 minutes)	No-		
30-44 (15 minutes)	Yes		
45-49 (5 minutes)	No		
50-59 (10 minutes)	Yes		

NAT FINE	U.S.	Ave.	us/r even	and free	ust free	user free	SAP Prot	mirt free	No.
Free	Fra	free.	Fee	Fra.	No.	unit free	sirt free	ant frue	Mair Pres
est free	and free	No.	soft free	ust free	the free	Re Mult free	U.F Frit	int fre	Sa Mair Free
Por Sent	W Free	yı Fen	Free	Fra.	NS Fros	Se Free	H Free	Nr Fea	Sq Free
Fee	fra.	Fra.	YE From	Y4 Fra:	aut frac	Section 1	W But	Waster Street	unt free
6 Su	St Free	f1	15 Free	S4 Free	17	0	59	58	51

## 2023 AP CS A FREE RESPONSE QUESTION #1A