

```
[root@165-ca 3]# ./easysrsa help
```

Easy-RSA 3 usage and overview

USAGE: easysrsa [options] COMMAND [command-options]

A list of commands is shown below. To get detailed usage and help for a command, run:

```
./easysrsa help COMMAND
```

For a listing of options that can be supplied before the command, use:

```
./easysrsa help options
```

Here is the list of commands available with a short syntax reminder. Use the 'help' command above to get full usage details.

```
init-pki
build-ca [ cmd-opts ]
gen-dh
gen-req <filename_base> [ cmd-opts ]
sign-req <type> <filename_base>
build-client-full <filename_base> [ cmd-opts ]
build-server-full <filename_base> [ cmd-opts ]
revoke <filename_base> [cmd-opts]
renew <filename_base> [cmd-opts]
build-serverClient-full <filename_base> [ cmd-opts ]
gen-crl
update-db
show-req <filename_base> [ cmd-opts ]
show-cert <filename_base> [ cmd-opts ]
show-ca [ cmd-opts ]
import-req <request_file_path> <short_basename>
export-p7 <filename_base> [ cmd-opts ]
export-p8 <filename_base> [ cmd-opts ]
export-p12 <filename_base> [ cmd-opts ]
set-rsa-pass <filename_base> [ cmd-opts ]
set-ec-pass <filename_base> [ cmd-opts ]
upgrade <type>
```

DIRECTORY STATUS (commands would take effect on these locations)

```
EASYSRSA: /usr/share/easy-rsa/3.0.8
```

```
PKI: /usr/share/easy-rsa/3/pki
```