

C: > www >htdocs > mh_myquickinfoManager > INDEX > source > APP_FUNC > ...

```
1  //-- HARBOURINO APP_FUNC --//
```

```
2  function ListApp()
```

```
3
4      LOCAL cHtml
```

```
5
6      cHtml := '<h3>ListApp()</h3>'
```

```
7      cHtml += '<table border="1" style="font-weight:bold;">'
```

```
8      cHtml += '<thead><tr><td>Description</td><td>Value</td></tr></thead>'
```

```
9
10     cHtml += '<tbody>'
```

```
11
12     //cHtml += '<tr><td>Version()</td><td>'
```

```
+ ::Version() + '</td>'
```

```
13     cHtml += '<tr><td>cPath</td><td>'
```

```
+ hApp[ "cPath" ] + '</td>'
```

```
14     cHtml += '<tr><td>cPathCss</td><td>'
```

```
+ hApp[ "cPathCss" ] + '</td>'
```

```
15     cHtml += '<tr><td>cPathJs</td><td>'
```

```
+ hApp[ "cPathJs" ] + '</td>'
```

```
16     cHtml += '<tr><td>cPathController</td><td>'
```

```
+ hApp[ "cPathController" ] + '</td>'
```

```
17     cHtml += '<tr><td>cPathModel</td><td>'
```

```
+ hApp[ "cPathModel" ] + '</td>'
```

```
18     cHtml += '<tr><td>cPathView</td><td>'
```

```
+ hApp[ "cPathView" ] + '</td>'
```

```
19     cHtml += '<tr><td>cPathData</td><td>'
```

```
+ hApp[ "cPathData" ] + '</td>'
```

```
20
21     cHtml += '</tbody></table></pre><hr>'
```

```
22
23     ? cHtml
```

```
24
25     RETU ''
```

```
26
```